

DEC 19 2008


ADDRESS:	444 MARSHALL STREET	PATERSON,	NEW JERSEY, 07503
FACILITY LOCATION:	444 MARSHALL STREET	PATERSON,	NEW JERSEY, 07503
NEW CUSTOMER ID/OUTLET ID:	27220041-1		

Monitoring Period						
START				END		
11	1	2008		11	30	2008
MO	DAY	YR		MO	DAY	YR

VOL DISCHARGED THIS PERIOD	
3,719,352	GALS
CU. FT X 7.48 = GALLONS	
EFFLUENT METER READING LAST DAY THIS PERIOD	

[illegible][illegible]

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	John Udrija	973-742-4990
	Plant Manager	
		DATE: 12/18/2008

PVSC FORM MR-2 REV.3 6/93

AL JOHN, INC. - USER CHARGE - NOVEMBER 2008**READINGS OF CITY WATER METER**

3,397,110	Present Meter Reading
<u>-2,873,700</u>	Past Meter Reading
523,410	Cubic feet
<u>x7.48</u>	
3,915,107	Gallons
<u>x .95</u>	(5% Evaporation)
3,719,352	Gallons discharged this month for Outlet# 27220041-1



ANALYTICAL DATA REPORT

for
Al & John Inc.
444 Marshall Street
Paterson, NJ 07503

Project Name: PVSC MONITORING
Lab Case Number: E08-12706

MDL = METHOD DETECTION LIMIT

< = LESS THAN THE MDL

Metals

Lab ID: 12706-001

Client ID: 01

Matrix-Units: Aqueous-mg/L

Percent Moisture: 100

Date Sampled: 11/4/2008

Time Sampled: 08:00

Date Analyzed: 11/7/08

Parameter**Result****Q****MDL**

Zinc

0.130

0.008

General Analytical

Lab ID: 12706-001

Client ID: 01

Percent Moisture: 100

Date Sampled: 11/4/2008

Time Sampled: 08:00

Parameter**Result****MDL****Matrix-Units****Date Analyzed**

Biochemical Oxygen Demand

1730

2.00

Aqueous-mg/L

11/5/2008 8:00

Total Suspended Solids

545

125

Aqueous-mg/L

11/5/2008 10:00

These data have been reviewed and accepted by:

Michael H. Leftin
 Michael H. Leftin, Ph.D
 Laboratory Director

273 Franklin Road
 Randolph, NJ 07869
 Phone: 973 361 4252
 Fax: 973 989 5288



IAL is a NELAP New Jersey Certified Lab (14751) and maintains certification in Connecticut (PH-0699), New York (11402), Rhode Island (00126), Pennsylvania (68-00773) and in the Department of Navy IIR QA Program

PROJECT INFORMATION

Case No. **E08-12706**Project **PVSC MONITORING**

Customer Al & John Inc.	P.O. #
Contact John Sabo	Received 11/4/2008 17:30
EMail ENVIRO43@aol.com <input type="checkbox"/> EMail EDDs	Verbal Due 11/19/2008
Phone (201) 772-6786 Fax	Report Due 11/26/2008
Report To	Bill To
444 Marshall Street	Enviro-Comp
Paterson, NJ 07503	P.O. Box 3457
	Wayne, NJ 07474-3457
Attn: John Sabo	Attn: John Sabo
Report Format Result Only	
Additional Info <input type="checkbox"/> State Form <input type="checkbox"/> Field Sampling <input type="checkbox"/> Conditional VOA	

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Depth Top / Bottom</u>	<u>Sampling Time</u>	<u>Matrix</u>	<u>Unit</u>	<u># of Containers</u>
12706-001	01	n/a	11/4/2008@08:00	Aqueous	ug/L	2

<u>Sample #</u>	<u>Tests</u>	<u>Status</u>	<u>QA Method</u>
001	Zinc - Zn	In Process	200.8
"	BOD	Run	5210B
"	TSS (Suspended)	Complete	2540D

INTEGRATED ANALYTICAL LABORATORIES, LLC

SAMPLE RECEIPT VERIFICATION

CASE NO: E 08

12706

CLIENT:

Al & John

COOLER TEMPERATURE: 2° - 6°C:

✓

(See Chain of Custody)

Comments

COC: COMPLETE / INCOMPLETE

KEY

✓ = YES/NA

✗ = NO

- ✓ Bottles Intact
- ✓ no-Missing Bottles
- ✓ no-Extra Bottles

- ✓ Sufficient Sample Volume
- ✓ no-headspace/bubbles in VOs
- ✓ Labels intact/correct
- ✓ pH Check (exclude VOs)¹
- ✓ Correct bottles/preservative
- ✓ Sufficient Holding/Prep Time¹

☐ Sample to be Subcontracted

¹ All samples with "Analyze Immediately" holding times will be analyzed by this laboratory past the holding time. This includes but is not limited to the following tests: pH, Temperature, Free Residual Chlorine, Total Residual Chlorine, Dissolved Oxygen, Sulfite.

ADDITIONAL COMMENTS:

SAMPLE(S) VERIFIED BY:

INITIAL

[Signature]

DATE

11/4/08

CORRECTIVE ACTION REQUIRED:

YES

☐

(SEE BELOW)

NO

☒

CLIENT NOTIFIED:

YES

☐

Date/ Time:

NO

☐

PROJECT CONTACT:

SUBCONTRACTED LAB:

DATE SHIPPED:

ADDITIONAL COMMENTS:

VERIFIED/TAKEN BY:

INITIAL

[Signature]

DATE

11/6/08

REV 02/05

Laboratory Custody Chronicle**IAL Case No.****E08-12706****Client** Al & John Inc.**Project** PVSC MONITORING**Received On** 11/ 4/2008@17:30**Department: Metals**

Zinc - Zn

12706-001 Aqueous

Prep. Date

11/ 5/08

Analyst

Lisa

Analysis Date

11/ 7/08

Analyst

Helge

Department: Wet Chemistry

BOD

-001 Aqueous

Prep. Date

n/a

Analyst

n/a

Analysis Date

11/ 5/08@08:00

Analyst

Kris

TSS (Suspended)


-001 Aqueous

n/a

n/a

11/ 5/08

Kam

Review and Approval:



ANALYTICAL DATA REPORT

for
AI & John Inc.
444 Marshall Street
Paterson, NJ 07503

Project Name: PVSC MONITORING
Lab Case Number: E08-12997

MDL = METHOD DETECTION LIMIT

< = LESS THAN THE MDL


General Analytical

Lab ID: 12997-001
Client ID: 01
Percent Moisture: 100

Date Sampled: 11/11/2008
Time Sampled: 08:00

Parameter	Result	MDL	Matrix-Units	Date Analyzed
Biochemical Oxygen Demand	2820	2.00	Aqueous-mg/L	11/12/2008 12:00
Total Suspended Solids	650	250	Aqueous-mg/L	11/13/2008 14:00

These data have been reviewed and accepted by:


Michael H. Leftin, Ph.D.
Laboratory Director

273 Franklin Road
Randolph, NJ 07869
Phone: 973 361 4252
Fax: 973 989 5288



IAL is a NELAC New Jersey Certified Lab (14751) and maintains certification in Connecticut (PH-0699), New York (11402), Rhode Island (00126), Pennsylvania (68-00773) and in the Department of Navy IR QA Program

REPORTING INFO

REPORT TO:	ENVIRO-COMP, INC
Address:	PO BOX 3457
	WAYNE, NJ 07474
Attn:	JOHN SABO
FAX #	973-633-7643
INVOICE TO:	ENVIRO-COMP
Address:	PO BOX 3457
	WAYNE, NJ 07474
Attn:	JOHN SABO
PO #	

SAMPLE INFORMATION

[illegible]

Sample Matrix

DW - Drinking Water AQ - Aqueous WW - Waste Water
OI - Oil LIQ - Liquid (Specify) OT - Other (Specify)
S - Soil SL - Sludge SOL - Solid W - Wipe

ANALYTICAL PARAMETERS

Cooler Temp _____ °C

BOTTLES &
PRESERVATIVES

[illegible]

Turnaround Time (starts the following day if samples rec'd at lab > 5PM)

Lab notification is required for RUSH TAT prior to sample arrival. RUSH TAT IS NOT GUARANTEED WITHOUT LAB APPROVAL. RUSH SURCHARGES WILL APPLY IF ABLE TO ACCOMMODATE**

Conditional TPHC

24 hr*	48 hr	72 hr
<u>Verbal/Fax</u>		
24 hr**	48 hr*	72 hr*
<u>Hard Copy</u>		

Results needed by:

24 hr - 100%.....	
48 hr - 75%.....	
72 hr - 50%.....	
96 hr - 35%.....	
5 day - 25%.....	
6-9 day 10%	

Report Format

Results Only	.dbf format
Reduced	.wk1 format
Regulatory	lab approved custom EDD
Other (describe)	

DISK/CD REC

	Known Hazard:	Yes or No	Describe:
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			
31.			
32.			
33.			
34.			
35.			
36.			
37.			
38.			
39.			
40.			
41.			
42.			
43.			
44.			
45.			
46.			
47.			
48.			
49.			
50.			
51.			
52.			
53.			
54.			
55.			
56.			
57.			
58.			
59.			
60.			
61.			
62.			
63.			
64.			
65.			
66.			
67.			
68.			
69.			
70.			
71.			
72.			
73.			
74.			
75.			
76.			
77.			
78.			
79.			
80.			
81.			
82.			
83.			
84.			
85.			
86.			
87.			
88.			
89.			
90.			
91.			
92.			
93.			
94.			
95.			
96.			
97.			
98.			
99.			
100.			

Please print legibly and fill out completely. Samples cannot be processed and the turnaround time will not start until any

MDL Req: GWQS - SCC - OTHER (SEE COMMENTS)

Signature/Company

Signature/Company

Comments:

Lab Case #

PAGE: / of /

PROJECT INFORMATION



E 0 8 - 1 2 9 9 7

Case No. **E08-12997**Project **PVSC MONITORING**

Customer Al & John Inc.		P.O. #	
Contact John Sabo		Received 11/12/2008 10:00	
EMail ENVIRO43@aol.com	<input type="checkbox"/> EMail EDDs	Verbal Due 11/26/2008	
Phone (201) 772-6786	Fax	Report Due 12/5/2008	
Report To		Bill To	
444 Marshall Street		Enviro-Comp	
Paterson, NJ 07503		P.O. Box 3457	
Attn: John Sabo		Wayne, NJ 07474-3457	
Attn: John Sabo		Attn: John Sabo	
Report Format Result Only			
Additional Info <input type="checkbox"/> State Form <input type="checkbox"/> Field Sampling <input type="checkbox"/> Conditional VOA			

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Depth Top / Bottom</u>	<u>Sampling Time</u>	<u>Matrix</u>	<u>Unit</u>	<u># of Containers</u>
12997-001	01	n/a	11/11/2008@08:00	Aqueous	ug/L	1
<u>Sample #</u>	<u>Tests</u>	<u>Status</u>	<u>QA Method</u>			
001	BOD	Run	52 10B			
"	TSS (Suspended)	Run	25 40D			

INTEGRATED ANALYTICAL LABORATORIES, LLC

SAMPLE RECEIPT VERIFICATION

CASE NO: E 08

12997

CLIENT:

ECI

COOLER TEMPERATURE: 2° - 6°C: ☒

(See Chain of Custody)

Comments

COC: COMPLETE / INCOMPLETE

KEY

☒ = YES/NA
☒ = NO

- ☒ Bottles Intact
- ☒ no-Missing Bottles
- ☒ no-Extra Bottles

- ☒ Sufficient Sample Volume
- ☒ no-headspace/bubbles in VOs
- ☒ Labels intact/correct
- ☒ pH Check (exclude VOs)¹
- ☒ Correct bottles/preservative
- ☒ Sufficient Holding/Prep Time¹

☐ Sample to be Subcontracted

¹ All samples with "Analyze Immediately" holding times will be analyzed by this laboratory past the holding time. This includes but is not limited to the following tests: pH, Temperature, Free Residual Chlorine, Total Residual Chlorine, Dissolved Oxygen, Sulfite.

ADDITIONAL COMMENTS:

SAMPLE(S) VERIFIED BY:

INITIAL

[Signature]

DATE

11/12/08

CORRECTIVE ACTION REQUIRED:

YES

☐

(SEE BELOW)

NO

☐

CLIENT NOTIFIED:

YES

☐

Date/ Time:

NO

☐

PROJECT CONTACT:

SUBCONTRACTED LAB:

DATE SHIPPED:

ADDITIONAL COMMENTS:

VERIFIED/TAKEN BY:

INITIAL

[Signature]

DATE

11/13/08

REV 02/05

Laboratory Custody Chronicle

IAL Case No.**E08-12997****Client** Al & John Inc.**Project** PVSC MONITORING**Received On** 11/12/2008@10:00**Department: Wet Chemistry**

			<u>Prep. Date</u>	<u>Analyst</u>	<u>Analysis Date</u>	<u>Analyst</u>
BOD	12997-001	Aqueous	n/a	n/a	11/12/08@12:00	Kris
TSS (Suspended)	-001	Aqueous	n/a	n/a	11/13/08	Karn

Review and Approval:



ANALYTICAL DATA REPORT

for
Al & John Inc.
444 Marshall Street
Paterson, NJ 07503

Project Name: PVSC MONITORING
Lab Case Number: E08-13260

MDL = METHOD DETECTION LIMIT

<= LESS THAN THE MDL

General Analytical

Lab ID: 13260-001
Client ID: 01
Percent Moisture: 100

Date Sampled: 11/17/2008
Time Sampled: 08:00

Parameter	Result	MDL	Matrix-Units	Date Analyzed
Biochemical Oxygen Demand	21.50	2.00	Aqueous-mg/L	11/19/2008 8:00
Total Suspended Solids	3250	250	Aqueous-mg/L	11/20/2008 11:00

These data have been reviewed and accepted by:

Michael H. Leftin, Ph.D.
Laboratory Director

273 Franklin Road
Randolph, NJ 07869
Phone: 973 361 4252
Fax: 973 989 5288



IAL is a NELAC New Jersey Certified Lab (14751) and maintains certification in Connecticut (PH-0699), New York (11402), Rhode Island (00126), Pennsylvania (68-00773) and in the Department of Navy IR QA Program.

CUSTOMER INFO

Company: AL & JOHN, INC.

Address: 444 MARSHALL STREET

PATERSON, NJ 07503

Telephone #:

Fax #:

Project Manager:

Sampler: JOHN SABO

Project Name: PVSC MONITORING

Project Location (State):

Bottle Order #:



Quote # :

SAMPLE INFORMATION

[illegible]

	Known Hazard:	Yes or No	Describe:
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			
31.			
32.			
33.			
34.			
35.			
36.			
37.			
38.			
39.			
40.			
41.			
42.			
43.			
44.			
45.			
46.			
47.			
48.			
49.			
50.			
51.			
52.			
53.			
54.			
55.			
56.			
57.			
58.			
59.			
60.			
61.			
62.			
63.			
64.			
65.			
66.			
67.			
68.			
69.			
70.			
71.			
72.			
73.			
74.			
75.			
76.			
77.			
78.			
79.			
80.			
81.			
82.			
83.			
84.			
85.			
86.			
87.			
88.			
89.			
90.			
91.			
92.			
93.			
94.			
95.			
96.			
97.			
98.			
99.			
100.			

Please print legibly and fill out completely. Samples cannot be processed and the turnaround time will not start until any ambiguities have been resolved.

Relinquished by:	Signature/Company	Date	Time	Received by:	Signature/Company
		11/18/08	15:15		
Relinquished by:				Received by:	
Relinquished by:				Received by:	
Relinquished by:				Received by:	
Relinquished by:				Received by:	

REPORTING INFO

REPORT TO: ENVIRO-COMP, INC

Address:

WAYNE, NJ 07474

Attn: JOHN SABO

FAX # 973-633-7643

INVOICE TO: ENVIRO-COMP

Address: PO BOX 3457

WAYNE, NJ 07474

Attn: JOHN SABO

PO #

Sample Matrix

DW • Drinking Water AQ • Aqueous WW • Waste Water
OI • Oil LIQ • Liquid (Specify) OT • Other (Specify)
S • Soil SL • Sludge SOL • Solid W • Wipe

[illegible]

Conc.	Expected:	Low	Med	High
-------	-----------	-----	-----	------

MDL Req: GWQS - SCC - OTHER (SEE COMMENTS)

Comments:

Lab Case #

PAGE: of

PROJECT INFORMATIONCase No. **E08-13260**Project **PVSC MONITORING**

Customer AI & John Inc.		P.O. #	
Contact John Sabo		Received 11/18/2008 15:15	
E-Mail ENVIR043@aol.com	<input type="checkbox"/> EMail EDDs	Verbal Due 12/4/2008	
Phone (201) 772-6786	Fax	Report Due 12/11/2008	
Report To		Bill To	
444 Marshall Street		Enviro-Comp	
Paterson, NJ 07503		P.O. Box 3457	
Attn: John Sabo		Wayne, NJ 07474-3457	
Attn: John Sabo		Attn: John Sabo	
Report Format Result Only			
Additional Info <input type="checkbox"/> State Form <input type="checkbox"/> Field Sampling <input type="checkbox"/> Conditional VOA			

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Depth Top / Bottom</u>	<u>Sampling Time</u>	<u>Matrix</u>	<u>Unit</u>	<u># of Containers</u>
13260-001	01	n/a	11/17/2008@08:00	Aqueous	ug/L	1

<u>Sample #</u>	<u>Tests</u>	<u>Status</u>	<u>QA Method</u>
001	BOD	Run	5210B
"	TSS (Suspended)	Run	2540D

INTEGRATED ANALYTICAL LABORATORIES, LLC

SAMPLE RECEIPT VERIFICATION

CASE NO: E 08

13260

CLIENT:

AL & JOHN

COOLER TEMPERATURE: 2° - 6°C: ☒

(See Chain of Custody)

Comments

COC: COMPLETE / INCOMPLETE

KEY

☒ = YES/NA☒ = NO

- ☒ Bottles Intact
- ☒ no-Missing Bottles
- ☒ no-Extra Bottles

- ☒ Sufficient Sample Volume
- ☒ no-headspace/bubbles in VOs
- ☒ Labels intact/correct
- ☒ pH Check (exclude VOs)¹
- ☒ Correct bottles/preservative
- ☒ Sufficient Holding/Prep Time¹

☐ Sample to be Subcontracted

¹ All samples with "Analyze Immediately" holding times will be analyzed by this laboratory past the holding time. This includes but is not limited to the following tests: pH, Temperature, Free Residual Chlorine, Total Residual Chlorine, Dissolved Oxygen, Sulfite.

ADDITIONAL COMMENTS:

SAMPLE(S) VERIFIED BY:

INITIAL

DATE

11/18/08

CORRECTIVE ACTION REQUIRED:

YES

(SEE BELOW)

NO

CLIENT NOTIFIED:

YES

Date/ Time:

NO

PROJECT CONTACT:

SUBCONTRACTED LAB:

DATE SHIPPED:

ADDITIONAL COMMENTS:

VERIFIED/TAKEN BY:

INITIAL

BB

DATE

11/19/08

REV 02/05

Laboratory Custody Chronicle


IAL Case No.

E08-13260Client Al & John Inc.Project PVSC MONITORINGReceived On 11/18/2008@15:15

Department: Wet Chemistry

			<u>Prep. Date</u>	<u>Analyst</u>	<u>Analysis Date</u>	<u>Analyst</u>
BOD	13260-001	Aqueous	n/a	n/a	11/19/08@08:00	Kris
TSS (Suspended)	-001	Aqueous	n/a	n/a	11/20/08	Kam

Review and Approval:





ANALYTICAL DATA REPORT

for

AI & John Inc.
444 Marshall Street
Paterson, NJ 07503

Project Name: PVSC MONITORING

Lab Case Number: E08-13516

MDL = METHOD DETECTION LIMIT

<= LESS THAN THE MDL


General Analytical

Lab ID: 13516-001
Client ID: 01
Percent Moisture: 100

Date Sampled: 11/25/2008
Time Sampled: 08:00

Parameter	Result	MDL	Matrix-Units	Date Analyzed
Biochemical Oxygen Demand	4120	2.00	Aqueous-mg/L	11/26/2008 8:00
Total Suspended Solids	1430	250	Aqueous-mg/L	12/1/2008 12:00

These data have been reviewed and accepted by:


Michael H. Leftin, Ph.D.
Laboratory Director

273 Franklin Road
Randolph, NJ 07869
Phone: 973 361 4252
Fax: 973 989 5288



IAL is a NE LAC New Jersey Certified Lab (14751) and maintains certification in Connecticut (PH-0699), New York (11402), Rhode Island (00126), Pennsylvania (68-00773) and in the Department of Navy IR QA Program

Phone # (973) 361-4252
Fax # (973) 989-5288

INTEGRATED ANALYTICAL LABORATORIES
CHAIN OF CUSTODY

273 Franklin Rd
Randolph, NJ 07869

CUSTOMER INFO		REPORTING INFO	
Company: AL & JOHN, INC.		REPORT TO: ENVIRO-COMP, INC	
Address: 444 MARSHALL STREET		Address: PO BOX 3457	
PATERSON, NJ 07503		WAYNE, NJ 07474	
Telephone #:		Attn: JOHN SABO	
Fax #:		FAX # 973-633-7643	
Project Manager:		INVOICE TO: ENVIRO-COMP	
Sampler: JOHN SABO		Address: PO BOX 3457	
Project Name: PVSC MONITORING		WAYNE, NJ 07474	
Project Location (State):			
Bottle Order #:		Attn: JOHN SABO	
Quote #:		PO #	

Turnaround Time (starts the following day if samples rec'd at lab > SPM)		Lab notification is required for RUSH TAT prior to sample arrival. RUSH TAT IS NOT GUARANTEED WITHOUT LAB APPROVAL. RUSH SURCHARGES WILL APPLY IF ABLE TO ACCOMMODATE **	
Conditional TPHC	Results needed by:	Rush TAT Charge **	Report Format, DISKETTE
24 hr* 48 hr 72 hr NA		24 hr - 100%... 48 hr - 75%... 72 hr - 50%... 96 hr - 35%... 5 day - 25%... 6-9 day 10%	Results Only Reduced Regulatory Other (describe)
Verbal/Fax			.dbf format .wk1 format lab approved custom EDD
24 hr* 48 hr			
Hard Copy			
2 wk* call for price			

ANALYTICAL PARAMETERS									
Cooler Temp <u>4</u> °C									



SAMPLE INFORMATION

[illegible]

Known Hazard:	Yes	No	Describe:
1. <u>Asbestos</u>			
2. <u>Lead</u>			
3. <u>Radon</u>			
4. <u>Flammable</u>			
5. <u>Corrosive</u>			
6. <u>Toxic</u>			
7. <u>Reactive</u>			
8. <u>Other</u>			

Conc. Expected:	Low	Med	High
-----------------	-----	-----	------

CONTRACT EXPECTED	POW	MDL	MDL Req:	GWQS	SQC	OTHER	(SEE COMMENTS)
Please print legibly and fill out completely. Samples cannot be processed and the turnaround time will not start until any							

Signature/Company	Date	Time	Signature/Company
elinguished by: 	11/25/08	12:40	Received by: 
elinguished by:			Received by:
elinguished by:			Received by:
elinguished by:			Received by:
elinguished by:			Received by:

Comments:

Lab Case #

PAGE: 1 of 1

13516

PROJECT INFORMATION



E 0 8 - 1 3 5 1 6

Case No. **E08-13516**Project **PVSC MONITORING**

Customer Al & John Inc.	P.O. #
Contact John Sabo	Received 11/25/2008 12:40
E-Mail ENVIRO43@aol.com <input type="checkbox"/> EMail EDDs	Verbal Due 12/11/2008
Phone (201) 772-6786 Fax	Report Due 12/18/2008
Report To	Bill To
444 Marshall Street	Enviro-Comp
Paterson, NJ 07503	P.O. Box 3457
	Wayne, NJ 07474-3457
Attn: John Sabo	Attn: John Sabo
Report Format Result Only	
Additional Info <input type="checkbox"/> State Form <input type="checkbox"/> Field Sampling <input type="checkbox"/> Conditional VOA	

Lab ID	Client Sample ID	Depth Top / Bottom	Sampling Time	Matrix	Unit	# of Containers
13516-001	01	n/a	11/25/2008@08:00	Aqueous	mg/L	1

Sample #	Tests	Status	QA Method
001	BOD	Run	5210B
"	TSS (Suspended)	Run	2540D

INTEGRATED ANALYTICAL LABORATORIES, LLC

SAMPLE RECEIPT VERIFICATION

CASE NO: E 08

13516

CLIENT:

Al & John

COOLER TEMPERATURE: 2° - 6°C: ☒ (See Chain of Custody)

Comments

COC: COMPLETE / INCOMPLETE

KEY

☒ = YES/NA
☒ = NO

- ☒ Bottles Intact
- ☒ no-Missing Bottles
- ☒ no-Extra Bottles

- ☒ Sufficient Sample Volume
- ☒ no-headspace/bubbles in VOs
- ☒ Labels intact/correct
- ☒ pH Check (exclude VOs)¹
- ☒ Correct bottles/preservative
- ☒ Sufficient Holding/Prep Time¹


☐ Sample to be Subcontracted

¹ All samples with "Analyze Immediately" holding times will be analyzed by this laboratory past the holding time. This includes but is not limited to the following tests: pH, Temperature, Free Residual Chlorine, Total Residual Chlorine, Dis solved Oxygen, Sulfite.

ADDITIONAL COMMENTS:

SAMPLE(S) VERIFIED BY:

INITIAL



DATE

11/25/08

CORRECTIVE ACTION REQUIRED:

YES

☐

(SEE BELOW)

NO

☐

CLIENT NOTIFIED:

YES

☐

Date/ Time:

NO

☐

PROJECT CONTACT:

SUBCONTRACTED LAB:

DATE SHIPPED:

ADDITIONAL COMMENTS:

VERIFIED/TAKEN BY:

INITIAL

KJ

DATE

11/25/08

REV 02/05

Laboratory Custody Chronicle

IAL Case No.

E08-13516Client A1 & John Inc.Project PVSC MONITORINGReceived On 11/25/2008@12:40

Department: Wet Chemistry

			<u>Prep. Date</u>	<u>Analyst</u>	<u>Analysis Date</u>	<u>Analyst</u>
BOD	13516-001	Aqueous	n/a	n/a	11/26/08@08:00	Kris
TSS (Suspended)	-001	Aqueous	n/a	n/a	12/ 1/08	Kam

Review and Approval:

